

PLASTER TEXTURE PLATE

WWW,E-V-C.COM



product description

Aluminum foam

case appreciation

specifications

Enterprise brief introduction

Product architecture



product description

Ingredients: gypsum powder + glass fiber + water

Color: White

Application scenario: home decoration, commercial space, club,  
exhibition hall and other interior walls


Disadvantages: not resistant to scratch, can not soak in water




WWW.E-V-C.COM

advantage





Green environmental protection  
Class A fire and flame retardant  
Heat preservation sound insulation  
Color can be changed at will  
It doesn't expand or contract  
Not damp and moldy  
Not resistant to scratches  
Can't bubble water



Stripe grille

size: 1300X600mm  
thickness: 15mm



Big wave 1


size: 1450x640mm  
thickness: 25mm



Big wave 2

size: 1016X610mm  
thickness: 38mm





Little waves 1  
size :2030x400mm  
thickness:18mm



Little waves 2  
size :1100X600mm  
thickness:18mm



Half round concave die type A  
size :1200x810mm  
thickness:20mm




Half round concave die type A  
size :2500x500mm  
thickness:14mm





Square plate  
size :755X455mm  
thickness:25mm




Water Cube (linked)  
size :800X800mm  
thickness:20mm



Aix  
size :1200X600mm  
thickness:20mm



Feather (streaked)  
size :720X750mm  
thickness:18mm




Small feathers  
size :300\*100mm  
thickness:35mm



Moire (line)  
size :600X600mm  
thickness:20mm





matrix  
size :806\*856mm  
thickness:18mm



blocks  
size :355\*355mm  
thickness:35mm



The tablet  
size :310\*320mm  
thickness:16mm



box  
size :202\*202mm  
thickness:20mm



disc  
size :300\*300mm  
thickness:25mm



envelope  
size :225\*225mm  
thickness:25mm




pyramid  
size :355\*355mm  
thickness:35mm




Product of wood  
size :780\*390mm  
thickness:18mm



WWW.E-V-C.COM



Half round die B  
size :2100\*440mm  
thickness:20mm




Half round die C  
size :2600\*400mm  
thickness:14mm



Mocha stone  
size :445\*895mm  
thickness:13mm



Sita  
size :205\*205mm  
thickness:25mm



Concave circle  
size :173\*173mm  
thickness:18mm



Plane clock  
size :200\*200mm  
thickness:25mm

PLASTER TEXTURE PLATE



Concave herringbone clock  
size :200\*200mm  
thickness:25mm



Convex herringbone clock  
size :200\*200mm  
thickness:25mm



Concave word clock  
size :200\*200mm  
thickness:25mm



Convex one word clock  
size :200\*200mm  
thickness:25mm



size :600\*600mm  
thickness:18mm



Thin grille plate  
size :2600\*320mm  
thickness:18mm



Double eyelid concave round  
size :198\*198mm  
thickness:25mm



Triangular plate  
size :2400\*480mm  
thickness:15mm



Tight grille plate  
size :2400\*300mm  
thickness:20mm



Row concave circle  
size :750\*750mm  
thickness:18mm



Irregular triangular plate  
size :2500\*520mm  
thickness:15mm




A nine-square grid  
size :600\*600mm  
thickness:30mm



Lattice board  
size :1200\*600mm  
thickness:18mm



Corrugated plate  
size :1140\*560mm  
thickness:25mm



Feather stone  
size :200\*900mm  
thickness:50mm



Moon relief  
size : 600mm  
thickness:9mm

SAMPLE PROJECTS

WWW.E-V-C.COM



WWW.E-V-C.COM





WWW.E-V-C.COM



PLASTER TEXTURE PLATE



WWW.E-V-C.COM

WWW,E-V-C.COM





PLASTER TEXTURE PLATE



WWW.E-V-C.COM



[WWW.E-V-C.COM](http://WWW.E-V-C.COM)



## ● PREPARATIONS

1. Cleaning:  
Clean the wall, plaster board surface floating ash with dry cloth or feather duster to remove.
2. Cutting:  
Angle grinder cut, if there are rough edges with quick adhesive powder treatment



### 3. Installation:

- The wall is a cement blank wall. If it is uneven, it can be scraped with putty and pasted with quick adhesive powder. The ratio of quick adhesive powder and water is 1:0.4.
- The wall is a partition wall of keel paper plasterboard, which can be directly pasted with neutral structural glue, glass glue and nail free glue without scraping putty
- Wood partition wall can be directly pasted without nail glue, neutral structural glue and glass glue



## CONSTRUCTION GUIDANCE

- 4.Repair:  
Repair with quick adhesive powder, no color difference after repair
- 5.Color:  
Brush latex paint color, the effect is better, avoid the texture board ash
- 6.As:  
Unbridged or bridged with plaster





WWW,E-V-C,COM

WITH DESIGN



Moon relief  
size 800mm  
thickness:9mm



Moon relief  
size 1000mm  
thickness:9mm



Moon relief  
size 1200mm  
thickness:9mm

## Product architecture

custom wall panel	Ultra-thin stone	B series metal profile
Wooden plate	Volcanic Rocks	Aluminum foam
Commercial space veneer fire panels	Metal plated stone brick	Z series aluminum foam
Ultra clear mirror plate	Xuangu volcanic rock	Living moss
Plaster texture plate	Z series PU decorative panel	Creative modular custom products
Starry sky top acoustic board	H series PU large board	Mosaic of resin
Y series acrylic sheet	B series PU decorative panel	Y series creative module
Transparent art cement	PU decorative panel	Commercial special board
N-series cement casting plate	Fusion Cement member	H Series Outdoor flooring
C series soft stone	D series modeling brick	N series handmade brick
Art poured board	M series component bricks	Super black brick
Cement decorative board	K series foamed ceramics	Dupont paper
S series soft stone	K series crystal brick	Weaving of bamboo and rattan
3D cement brick	Hollow glass brick	The deep mirror
FRP cement casting plate	X series jade glass	Cement component lighting system
Microcement siding	T series crystal brick	PU component lighting system
Perlite board	J series water corrugated plate	D series foamed ceramics
Church art glass	Aluminum embossed plate	B series metal lines
X series hand sanded brick	FRP emerald grille	French textured paper
led photoglass (hard)	Outlet tile	



EVC  
company

<http://www.e-v-c.com/>



