


Commercial special board

WWW.E-V-C.COM



WWW.E-V-C.COM

product description

Material: Melamine decorative panel

Surface technology: double facing, surface texture made by high-temperature pressing

- 1: Beautiful appearance, diverse patterns, realistic surface effects such as imitation wood grain and stone grain, corrosion resistance, wear resistance, etc
- 2: Versatile space style, discounted prices, different texture surfaces with different tactile sensations
- 3: Safe and environmentally friendly, versatile in style, rich in decor, close to solid wood

Application space: Catering chain stores, homestays, hotels, commercial spaces, restaurants, etc

WWW.E-V-C.COM



Commercial space wall panels

Single chip size: 3070 * 616 * 8mm

Process characteristics: B1 flame retardant and high wear resistance

Environmental protection level: E1 Environmental protection

Six sided moisture-proof and waterproof treatment can prevent liquid damage to the board

High density water washed substrate, bid farewell to cracking and arching issues

>6000 rpm, high wear resistance, non whitening, scratch and scratch resistant
B1 grade flame retardant, emphasizing fire protection, and can be used for home decoration and tooling



WWW.E-V-C.COM

Commercial Space Wall Panel - Color Card



WWW.E-V-C.COM



Commercial Space Wall Panel - Color Card



WWW.E-V-C.COM



WWW.E-V-C.COM

Commercial Space Wall Panel - Color Card





WWW.E-V-C.COM

Commercial Space Wall Panel - Color Card





Commercial Space Wall Panel - Color Card



WWW.E-V-C.COM



Commercial Space Wall Panel - Color Card




WWW.E-V-C.COM



Commercial Space Wall Panel - Color Card





WWW.E-V-C.COM

Commercial Space Wall Panel - Color Card





WWW.E-V-C.COM

Commercial Space Wall Panel - Color Card



WWW.E-V-C.COM



Commercial Space Wall Panel - Color Card



Commercial space flooring



WWW.E-V-C.COM

Single chip size: 1218 * 616 * 12mm

Process characteristics: high wear resistance

Environmental protection level: E1 Environmental protection

Adhesive free intelligent locking mouth, convenient installation, and tight splicing

Anti fouling, wear-resistant, easy to clean, and durable

Floor heating can be tested at extreme temperatures ranging from -40° to 40° C, without deformation, cracking, or arching

Usually, the paving loss of a room is about 3% -5% of the actual paving area of the floor

Commercial space floor - Color cards





WWW.E-V-C.COM



WWW.E-V-C.COM

Commercial space floor - Color cards



Le sac en papier

Ce sac est fabriqué à partir de Double
épaisseur 180g/m² papier végétal
100 % naturel, kraft blanc
double de kraft beiges Certenior
33 litres, 100 % Ecographik[®]
Ne le jeter pas.
Il peut servir plusieurs fois.

Commercial space floor - Color cards





WWW.E-V-C.COM

Commercial space floor - Color cards





WWW.E-V-C.COM

Commercial space floor - Color cards





WWW.E-V-C.COM

Commercial space floor - Color cards





WWW.E-V-C.COM

Commercial space floor - Color cards





WWW.E-V-C.COM

Commercial space floor - Color cards



WWW.E-V-C.COM



Commercial space floor - Color cards





WWW.E-V-C.COM



WWW.E-V-C.COM

Commercial space floor - Color cards





WWW.E-V-C.COM

Commercial space floor - Color cards





WWW.E-V-C.COM

Commercial space floor - Color cards






WWW.E-V-C.COM


Construction Description

Wall splicing display

Male and female buckle mounting
Blank room can be installed directly



Sheet Angle treatment





EVC
company

<http://www.e-v-c.com/>

Product architecture

custom wall panel	Ultra-thin stone	B series metal profile
Wooden plate	Volcanic Rocks	Aluminum foam
Commercial space veneer fire panels	Metal plated stone brick	Z series aluminum foam
Ultra clear mirror plate	Xuangu volcanic rock	Living moss
Plaster texture plate	Z series PU decorative panel	Creative modular custom products
Starry sky top acoustic board	H series PU large board	Mosaic of resin
Y series acrylic sheet	B series PU decorative panel	Y series creative module
Transparent art cement	PU decorative panel	Commercial special board
N-series cement casting plate	Fusion Cement member	H Series Outdoor flooring
C series soft stone	D series modeling brick	N series handmade brick
Art poured board	M series component bricks	Super black brick
Cement decorative board	K series foamed ceramics	Dupont paper
S series soft stone	K series crystal brick	Weaving of bamboo and rattan
3D cement brick	Hollow glass brick	The deep mirror
FRP cement casting plate	X series jade glass	Cement component lighting system
Microcement siding	T series crystal brick	PU component lighting system
Perlite board	J series water corrugated plate	D series foamed ceramics
Church art glass	Aluminum embossed plate	B series metal lines
X series hand sanded brick	FRP emerald grille	French textured paper
led photoglass (hard)	Outlet tile	

