



SILK MATTE BOARDS

WWW.E-V-C.COM

Basic Information

Light medium and silk fog board: decorative board with imitation plant effect.

Material composition: Plexiglass with super transparent wire (silk cloth) in the middle, white film behind.

Base material: domestic raw materials (not fireproof). Imported raw materials (fire grade B1).

Plate size: 1200*2400mm.

The thickness of the plate is divided into 2/6/12mm.

Grades: Fire/non-fire.

Customization items: Thickness customization (2-50mm), panel can be customized up to 1200*3000mm, the recommended maximum thickness of 12mm.



WWW.E-V-C.COM





1 leaf

size1200*2400*2mm

1200*2400*6mm

1200*2400*10mm

1200*2400*12mm



·2 leaf

·size1200*2400*2mm

1200*2400*6mm

1200*2400*10mm

1200*2400*12mm



·3 leaf

size1200*2400*2mm

1200*2400*6mm

1200*2400*10mm

1200*2400*12mm



·4 leaf

size1200*2400*2mm

1200*2400*6mm

1200*2400*10mm

1200*2400*12mm



5 leaf

size1200*2400*2mm

1200*2400*6mm

1200*2400*10mm

1200*2400*12mm



·6 leaf

size1200*2400*2mm

1200*2400*6mm

1200*2400*10mm

1200*2400*12mm

Silk fog board
SAMPLE PROJECTS

WWW.E-V-C.COM










THIS IS A STORY ABOUT THE
JIN TEA
Hàng nghìn năm rồi, chúng ta



WWW.E-V-C.COM





CONSTRUCTION GUIDANCE

Cutting: table saw, hand saw cutting. (Use a new saw blade)




Adhesive tool: transparent glass glue (on the border)

Installation conditions: The skeleton must be smooth and clean before installation

Maintenance: Avoid scratching

Installation: The lighting situation of the background wall/background wall is shown in the figure. The distance of the lamp belt is 100-200mm. It is recommended to use a low-voltage lamp belt for the lamp belt

Note: Processing bending requires a separate inquiry, and there is a processing fee





EVC
company

<http://www.e-v-c.com/>

Product architecture

custom wall panel	Ultra-thin stone	B series metal profile
Wooden plate	Volcanic Rocks	Aluminum foam
Commercial space veneer fire panels	Metal plated stone brick	Z series aluminum foam
Ultra clear mirror plate	Xuangu volcanic rock	Living moss
Plaster texture plate	Z series PU decorative panel	Creative modular custom products
Starry sky top acoustic board	H series PU large board	Mosaic of resin
Y series acrylic sheet	B series PU decorative panel	Y series creative module
Transparent art cement	PU decorative panel	Commercial special board
N-series cement casting plate	Fusion Cement member	H Series Outdoor flooring
C series soft stone	D series modeling brick	N series handmade brick
Art poured board	M series component bricks	Super black brick
Cement decorative board	K series foamed ceramics	Dupont paper
S series soft stone	K series crystal brick	Weaving of bamboo and rattan
3D cement brick	Hollow glass brick	The deep mirror
FRP cement casting plate	X series jade glass	Cement component lighting system
Microcement siding	T series crystal brick	PU component lighting system
Perlite board	J series water corrugated plate	D series foamed ceramics
Church art glass	Aluminum embossed plate	B series metal lines
X series hand sanded brick	FRP emerald grille	French textured paper
led photoglass (hard)	Outlet tile	

